AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently Amended) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material comprising a distribution of pore sizes between 0 and 3 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity and a gel liquid absorption of at least 4 g/g measured by pore volume distribution, for synthetic urine test liquid.
 - 2. (Previously presented) A liquid absorbent material as claimed in claim 1, wherein the absorption rate at wetting is at least 0.5 ml/s, the liquid distribution capacity at an inclination of 30° is at least 16 g/g, and the liquid storage capacity measured through centrifuge retention capacity is at least 11%.
 - 3. (Canceled)
 - 4. (Previously presented) A liquid absorbent material as claimed in claim 1, wherein the foam material contains fibers in its pore system.

- 5. (Previously presented) An absorbent structure in an absorbent article, wherein the absorbent structure comprises a liquid absorbent material according to claim 1.
- 6. (Previously presented) An absorbent structure as claimed in claim 5, wherein said absorbent structure is comprised solely of said foam material.

- (Previously presented) An absorbent structure as claimed in claim 5, wherein 7. the foam material has a three-dimensional anatomic shape.
- (Previously presented) A liquid absorbent material as set forth in claim 1, 8. wherein the liquid absorbent material is used in an absorbent structure in an absorbent article and the absorbent article is a diaper, a pant diaper, a sanitary napkin, an incontinence guard, a wound dressing, or a bed protection.
- (Previously presented) An absorbent structure in an absorbent article as 9. claimed in claim 5, wherein the absorbent article is a diaper, a pant diaper, a sanitary napkin, an incontinence guard, a wound dressing, or a bed protection.
- (Previously presented) A liquid absorbent material as claimed in claim 20, 10. wherein the gel liquid absorption is at least 5 g/g synthetic urine.
- (Previously presented) A liquid absorbent material as claimed in claim 20, 11. wherein the capillary liquid absorption is at least 10 ml/g synthetic urine.
- (Previously presented) A liquid absorbent material as claimed in claim 20, 12. wherein the gel liquid absorption is at least 5 g/g synthetic urine and the capillary liquid absorption is at least 10 ml/g synthetic urine.
- (Currently Amended) A liquid absorbent material comprising an open-cell 13. polymeric foam material comprising either polysaccharide or polypeptide, the foam material having a first distribution of pore sizes between 0 and 3 µm and a second distribution of pore sizes between 3 and 100 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity and a gel liquid absorption of at least 4 g/g measured by pore volume distribution, for synthetic urine test liquid. 1 7 10
 - (Canceled) 14.

15. (Currently Amended) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material having a first distribution of pore sizes between 0 and 3 µm and a second distribution of pore sizes between 3 and 500 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity and a gel liquid absorption of at least 4 g/g measured by pore volume distribution, for synthetic urine test liquid.

16. - 19. (Canceled)

20. (Previously presented) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, a liquid storage capacity of at least 9% measured through centrifuge retention capacity, for synthetic urine test liquid, a first distribution of pores with a diameter less than 3 µm which produces a gel liquid absorption of at least 4 g/g synthetic urine, and a second distribution of pores with a diameter between 3 and 100 µm which produces a capillary liquid absorption of at least 8 ml/g.

1 th 12 5.

The first first

10

湖山市

يان پر پري پ

13766